




TERMA
SINCE 1990

Triga


METALLIC GREY // 1700 — 580 // 50 mm connection valve + “Noble” thermostatic head // ZIP hanger

LUX







Radiator available in the following heights: 560 and 610



Standard connections:




Sizes available:




Radiator available in the following heights: 900, 1300 and 1700



Standard connections:




Sizes available:




A	B	C	C'	C"	C'''		75/65/20	55/45/20		D	E	F		
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]		[W]	[W]	[W]	[mm]	[mm]	[mm]	[dm ²]	[Kg]
560	480	50	450	530	480	RAL+TT	356	182	—	450	380	90	5,7	9,8
560	680	50	650	530	680	RAL+TT	504	257	—	650	380	90	8,0	13,8
560	880	50	850	530	880	RAL+TT	652	333	—	850	380	90	10,3	17,8
560	1080	50	1050	530	1080	RAL+TT	800	408	—	1050	380	90	12,6	21,8
560	1280	50	1250	530	1280	RAL+TT	948	484	—	1250	380	90	14,9	25,8
610	480	50	450	580	480	RAL+TT	391	199	—	450	430	90	6,2	10,6
610	680	50	650	580	680	RAL+TT	554	283	—	650	430	90	8,7	14,9
610	880	50	850	580	880	RAL+TT	717	366	—	850	430	90	11,2	19,2
610	1080	50	1050	580	1080	RAL+TT	880	449	—	1050	430	90	13,7	23,5
610	1280	50	1250	580	1280	RAL+TT	1043	532	—	1250	430	90	16,2	27,8
900	380	50	350	380	—	RAL+TT	459	234	400	350	720	90	7,3	12,0
900	480	50	450	480	—	RAL+TT	580	296	600	450	720	90	9,1	15,0
900	580	50	550	580	—	RAL+TT	701	358	800	550	720	90	10,9	18,1
900	680	50	650	680	—	RAL+TT	821	419	800	650	720	90	12,8	21,1
1300	380	50	350	380	—	RAL+TT	652	333	600	350	1120	90	10,5	16,9
1300	480	50	450	480	—	RAL+TT	824	420	800	450	1120	90	13,1	21,2
1300	580	50	550	580	—	RAL+TT	996	508	1000	550	1120	90	15,7	25,4
1300	680	50	650	680	—	RAL+TT	1168	596	—	650	1120	90	18,3	29,7
1700	380	50	350	380	—	RAL+TT	850	434	800	350	1520	90	13,7	21,8
1700	480	50	450	480	—	RAL+TT	1074	548	1000	450	1520	90	17,1	27,3
1700	580	50	550	580	—	RAL+TT	1298	662	—	550	1520	90	20,5	32,8
1700	680	50	650	680	—	RAL+TT	1521	776	—	650	1520	90	23,9	38,3

Radiator available in the following heights: 560 and 610


P2




PX, LP




LX, LP




VL, YL



VP, YP




SX




Radiator available in the following heights: 900, 1300 and 1700


P2




ZX




Z1




SX




Z8




YL



Y1



YP



Y8

